

NOTICE

INVITING TENDERS: REPAIR / MODIFICATION OF BUILDINGS

1. Ref Notice inviting Tenders for repair/ modification to Buildings of Army College of Nursing Jalandhar Cantt publish on College website on 05 Nov 2023.
2. The scope of work for modification/ repair works uploaded on College website vide above mentioned Tender Notice is hereby cancelled.
3. The fresh requirement of repairs / modification required are attached as Appendix.
4. Interested parties may visit the site/ area on any working day between 8:30 AM to 3:30 PM.

Date: 09 Nov 2023

Registrar



DETAILS OF MODIFICATIONS / REPAIR WORKS :
ACN JALANDHAR

Ser No	Name of work/ Description of store	A/U	Qty
1	Addition/alteration of Café Complex shops into NCC/NSS/ YRC Office - 03 Nos		
	(i) Demolition of existing brick wall for fixing doors.	Cum	2.25
	(ii) Fabrication and fixing of powder coated aluminum door shutter of section 2 mm thick with aluminum frame (Chaukhat) section 3 mm thick partially glazed partially fixed with 6mm thick bakalite sheet and glazed portion shall be fixed with 10 mm thick toughen glass incl locking arrangement six level stainless steel lock, neoprene packing complete fittings and fixtures as approved by the consignee shall be provided. Make of Aluminum - Jindal/TATA/HINDALICO	Nos	3.00
	(iii) Dismantling of existing MS shutter door	Nos	3.00
	(iv) Brick work for MS shutter portion in cement mortar 1:6 (Size of the MS shutter 3.00m x 2.70m), rendering in CM 1:6 and painting with OBD matching with the existing colour complete all as directed by the consignee.	Job	3.00
	(iv) Supply and fixing of powder coated Aluminum window side hung of size 1.22m x 1.22 m glazed and gauged with Aluminum guard bars, 5.5 mm thick plain glass, stainless steel wire mesh shall also be provided with complete fittings and fixture complete all as directed. Make of Aluminum - Jindal/TATA/HINDALICO	Nos	3.00
	(v) Supply and fixing of 0.60 mm thick PPGI sheet sun shed of 450 mm wide and 300 mm wider than opening shall be provided where door/window are open to sky shall be fixed over ISA 25x25x3 mm frame as approved by the consignee	Nos	3.00
	Complete internal periodical, electric wiring with copper conductor, modular type switch socket, power socket shall be provided in each room	Nos	3.00